



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/670,513

09/26/2003

Jean Steinmetz

Q77594

8638

23373 7590 05/21/2010  
SUGHRUE MION, PLLC  
2100 PENNSYLVANIA AVENUE, N.W.  
SUITE 800  
WASHINGTON, DC 20037

EXAMINER

ZHENG, LOIS L

ART UNIT

PAPER NUMBER

1793

NOTIFICATION DATE

DELIVERY MODE

05/21/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

sughrue@sughrue.com  
PPROCESSING@SUGHRUE.COM  
USPTO@SUGHRUE.COM

<b>Office Action Summary</b>	<b>Application No.</b> 10/670,513	<b>Applicant(s)</b> STEINMETZ ET AL.	
	<b>Examiner</b> LOIS ZHENG	<b>Art Unit</b> 1793	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12 February 2010.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 14-21,23-31 and 33-59 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 14-21,23-31 and 33-59 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)         | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Status of Claims*

1. Claims 14, 26, 28-29, 31 and 33 are amended in view of applicant's response filed 12 February 2010. Claims 1-13, 22 and 32 are canceled. In applicant's response filed 12 February 2010, applicant further stated that claim 15 has been amended. However, the examiner cannot find any differences comparing the current version of claim 15 filed 12 February 2010 and the previous version of claim 15 filed 18 May 2009. As a result, claim 15 has **NOT** been amended.

Therefore, claims 14-21, 23-31 and 33-59 are currently under examination.

### *Claim Objections*

2. Claims 24-25, 27, 30-31 and 33 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

Regarding claim 24, the instant claim depends on claim 23, which in turn depends on independent claim 14. Claim 14 recites at least one organic acid, wherein said organic acid having a carbon chain of at least C<sub>10</sub>. However, instant claim 24 recites heptanoic acid, which is a C<sub>7</sub>. The heptanoic acid is outside of the scope of independent claim 14. Therefore, claim 24 fails to further limit claims 14 and 23.

Regarding claim 25, the instant claim depends on claim 23, which in turn depends on independent claim 14. Claim 14 recites at least one organic acid, wherein said organic acid is a saturated aliphatic monocarboxylic or dicarboxylic acid having a

Art Unit: 1793

carbon chain of at least C<sub>10</sub>. However, instant claim 25 recites heptanoic acid, which is a C<sub>7</sub>, and undecenoic acid, which is an unsaturated monocarboxylic acid. The heptanoic acid and the undecenoic acid are outside of the scope of independent claim 14. Therefore, claim 25 fails to further limit claims 14 and 23.

Regarding claims 27 and 30, the instant claims depend on independent claim 14. The instant claims recite an unsaturated monocarboxylic acid. However, independent claim 14 does not recite an unsaturated monocarboxylic acid. Therefore, the claimed unsaturated monocarboxylic acid as recited in claims 27 and 30 is outside of the scope of the independent claim 14. Therefore, claims 27 and 30 fail to further limit claim 14.

Regarding claim 31, the instant claim depends on claim 28, which in turn depends on independent claim 14. Claim 14 recites at least one organic acid, wherein said organic acid having a carbon chain of at least C<sub>10</sub>. Claim 28 recites a saturated dicarboxylic acid having from 10-12 atoms. However, instant claim 31 recites an azelaic acid which is a saturated dicarboxylic acid having 9 carbon atoms. Claimed azelaic acid is outside of the scope of claims 14 and 28. Therefore, claim 31 fail to further limit claims 14 and 28.

Regarding claim 33, the instant claim depends on claim 29, which in turn depends on claim 26, which in turn depends on independent claim 14. Claims 14, 26 and 29 does not recite any unsaturated carboxylic acids such as undecenoic acid as recited in claim 33. Therefore, claim 33 fail to further limit claims 14, 26 and 29.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 14, 16, 18-21, 26 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule et al. US 5,683,751(Derule'751), and further in view of Derule et al. US 5,814,247(Derule'247), and further in view of Speckmann et al. US 5,230,730 (Speckmann).

Derule'751 teaches a process for forming a temporary protective coating, comprising treating galvanized steel surfaces with a coating solution comprising aliphatic monocarboxylic acid with 6-12 carbons, the solution having a pH of below 7 (abstract, col. 2 lines 21-25). An example of the monocarboxylic acid is heptanoic acid(col. 3 line 35).

Regarding claims 14, 18, 21, 26 and 29, the coating process steps as taught by Derule'751 are substantially similar to the claimed coating process steps. In addition, the C<sub>6</sub>-C<sub>12</sub> aliphatic monocarboxylic acids overlap the claimed aliphatic monocarboxylic acid having a carbon chain of at least C<sub>10</sub>, such as decanoic acid. Therefore, a prima facie case of obviousness exists. See MPEP 2144.05. The selection of claimed at least C<sub>10</sub> aliphatic monocarboxylic acid from the disclosed C<sub>6</sub>-C<sub>12</sub> aliphatic monocarboxylic acids as taught by Derule'751, which encompasses the claimed

Art Unit: 1793

decanoic acid, would have been obvious to one of ordinary skill in the art since Derule'751 discloses the same utility in its C<sub>6</sub>-C<sub>12</sub> aliphatic monocarboxylic acids .

In addition, the pH of the coating solution of Derule'751 overlaps the claimed pH of higher than 4. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed pH range from the disclosed range of Derule'751 would have been obvious to one skilled in the art since Derule'751 teach the same utilities in their disclosed pH range.

However, Derule'751 does not explicitly teach the claimed oxidizing conditions being obtained by addition of a chemical agent as recited in claim 14.

Derule'247 teaches a carboxylic acid-based corrosion inhibiting composition comprising heptanoic acids and derivatives thereof, and oxidizing agent such as nitrite and perborate(col. 3 lines 51-52, col. 4 lines 7-11).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the oxidizing agents such as nitrite and perborate as taught by Derule'247 into the coating solution Of Derule'751 in order to simplify the processing of the effluent and reduces cost as taught by Derule'247(col. 4 lines 35-40).

In addition, the coating composition of Derule'751 further comprises tolyltriazole in the amount of 0.5-5g/l(col. 3 lines 49-51) and the molar ratio of monocarboxylic acid salt and the triazole in the coating solution ranges from 0.4 to 10(col. 3 lines 1-5). In addition, example 3 of Derule'751 teaches that 1.5g/l of tolyltriazole is 0.013 mole/l and 12g/l of sodium heptanoate is 0.08 mole/l(col. 5 lines 58-62). Therefore, the broadest tolyltriazole range of 0.5-5g/l is equivalent to 0.0043 – 0.043 moles/l. Based on the

Art Unit: 1793

molar ratio of monocarboxylic acid salt and the triazole of 0.4-10, the monocarboxylic acid salt in the coating solution of Derule'751 is calculated to be 0.00172 – 0.43 moles/l, which overlaps the claimed organic acid range of 0.1-1.5moles/l. Furthermore, with the addition of oxidizing agents as taught by Derule'247, the concentration of heptonoic acid in the coating solution of Derule'751 in view of Derule'247 can be further lowered (Derule'247: col. 4 lines 35-40). Therefore, a prima facie case of obviousness exists. See MPEP 2144.05. The selection of claimed organic acid range from the disclosed range of Derule'751 in view of Derule'247 would have been obvious to one skilled in the art since Derule'751 in view of Derule'247 teach the same utilities in their disclosed monocarboxylic acid concentration range. Although examples of Derule'751 and Derule'247 teaches us heptonoic acid or sodium heptanoate, one of ordinary skill in the art would have found it obvious to have used decanoic acid with expected success since Derule'751 teaches suitable monocarboxylic acid to have 6-12 carbon atoms.

Regarding claim 16, even though Derule'751 in view of Derule'247 do not explicitly teach the claimed coating weight, one of ordinary skill in the art would have found it obvious to have routinely optimized the coating weight via varying the coating time in order to achieve desired performance in the corrosion protecting coating.

Regarding claims 19-20, Derule'751 further teaches that the treated galvanized steel sheet is oiled and rolled(i.e. formed/shaped)(col. 2 lines 44-49). Even though Derule'751 does not explicitly teach that the galvanized steel sheet is shaped by stamping, one of ordinary skill in the art would have found it obvious that the claimed

Art Unit: 1793

subsequent shaping by any techniques, including stamping or rolling, can be applied to the process of Derule'751 in view of Derule'247 with expected success.

5. Claims 23-25, 27, 30 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247, and further in view of Speckmann et al. US 5,230,730 (Speckmann).

The teachings of Derule'751 in view of Derule'247 are discussed in paragraph 4 above. However, Derule'751 in view of Derule'247 do not explicitly teach the claimed combination of two organic acids.

Speckmann teaches an anti-rust emulsion comprising carboxylic acids as corrosion inhibitors, wherein suitable carboxylic acids include straight-chain fatty acids such as hexanoic, heptanoic decanoic and undecanoic acids(i.e. substantially similar to claimed undecenoic acid), and branched chain or unsaturated carboxylic acids such as oleic and linoleic acids(col. 2 lines 38-55, col. 4 lines 28-55).

Regarding claims 23-25, 27, 30 and 33, one of ordinary skill in the art would have found it obvious to have incorporated a combination of heptanoic, decanoic, undecenoic, oleic and/or linoleic acids as taught by Speckmann into the coating solution of Derule'751 in view of Derule'247 with expected success since Speckmann teaches that such a group of carboxylic acids are functionally equivalent corrosion inhibitors.

6. Claims 28 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247 and Speckmann, and further in view of Knepper et al. US 4,595,523 (Knepper).



The teachings of Derule'751 in view of Derule'247 and Speckmann are discussed in paragraph 5 above. However, Derule'751 in view of Derule'247 and Speckmann do not explicitly teach the claimed saturated dicarboxylic acids.

Knepper teaches a corrosion inhibiting composition comprising carboxylic acids as corrosion inhibitors, wherein suitable and carboxylic acids such as caproic(i.e. hexanoic), capric (i.e. decanoic), azelaic, oleic and linoleic acids(col. 2 lines 31-42).

Regarding claims 28 and 31, one of ordinary skill in the art would have found it obvious to have incorporated a combination of azelaic, oleic and linoleic acids as taught by Knepper into the coating solution of Derule'751 in view of Derule'247 and Speckmann with expected success since Knepper teaches that sebacic, oleic and linoleic acids are functionally equivalent corrosion inhibitors.

7. Claims 34-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247 and further in view of Flasch et al. US 3,776,881 B1 (Flasch).

The teachings of Derule'751 in view of Derule'247 are discussed in paragraph 4 above. However, Derule'751 in view of Derule'247 do not explicitly teach the claimed diacetone alcohol as co-solvent.

Flasch teaches an acidic corrosion inhibiting coating composition comprising carboxylic acids such as caproic(i.e. hexanoic), capric(i.e. decanoic), oleic and sebacic acids(col. 3 lines 41-43, col. 3 lines 49-61) and solvents such as diacetone alcohol(col. 3 lines 24-29).

Art Unit: 1793

Regarding claims 34-35, it would have been obvious to one of ordinary skill in the art to have incorporated diacetone alcohol as taught by Flasch into the coating solution of Derule'751 in view of Derule'247 with expected success since Flasch teaches solvents such as diacetone alcohol are suitable for a corrosion inhibiting coating solution comprising claimed types of carboxylic acids.

8. Claims 36-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247 and further in view of Hughes et al. US 6,206,982 B1 (Hughes).

The teachings of Derule'751 in view of Derule'247 are discussed in paragraph 4 above. However, Derule'751 in view of Derule'247 do not explicitly teach the addition of rare earth metals in the +3 oxidation state as claimed.

Hughes teaches the application of a conversion coating to metal surfaces, wherein the conversion coating comprises rare earth metals in +3 oxidation state(col. 3 line 61 – col. 4 line 15) and in a concentration of below 50g/l(col. 4 lines 24-26). The coating composition of Hughes further comprises mono- and/or di-carboxylic acids(col. 6 lines 53-49).

Regarding claim 36, it would have been obvious to one of ordinary skill in the art to have incorporated rare earth metal in +3 oxidation state and in a concentration of below 50g/l as taught by Hughes into the coating solution of Derule'751 in view of Derule'247 in order to improve the adhesion of the conversion coating and accelerate the coating process as taught by Hughes(col. 2 lines 1-3).

Art Unit: 1793

In addition, the concentration of rare earth metal in the coating composition of Derule'751 in view of Derule'247 and Hughes overlaps the claimed concentration of greater than or equal to  $1 \times 10^{-3}$  mole/l. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed rare earth metal concentration range from the disclosed range of Derule'751 in view of Derule'247 and Hughes would have been obvious to one skilled in the art since Derule'751 in view of Derule'247 and Hughes teach the same utilities in their disclosed rare earth metal concentration range.

Furthermore, the pH of the coating solution of Derule'751 in view of Derule'247 and Hughes overlaps the claimed pH of higher than 4. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed pH range from the disclosed range of Derule'751 in view of Derule'247 and Hughes would have been obvious to one skilled in the art since Derule'751 in view of Derule'247 and Hughes teach the same utilities in their disclosed pH range.

Regarding claim 37, even though Derule'751 in view of Derule'247 and Hughes do not explicitly teach that the rare earth metal is claimed gadolinium, one of ordinary skill in the art would have found the use of gadolinium as the rare earth metal in the coating composition of Derule'751 in view of Derule'247 and Hughes obvious and with expected success since gadolinium has similar properties as other rare earth metals, therefore, should behave similarly to other rare earth metals taught by Hughes.

9. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247, and further in view of Melotik US 3,969,152(Melotik).

Art Unit: 1793

The teachings of Derule'751 in view of Derule'247 are discussed in paragraph 4 above. However, Derule'751 in view of Derule'247 do not explicitly teach the claimed post treatment using a bath containing rare earth metals.

Melotik teaches an post treatment rinse for metal coatings, wherein the post treatment rinse solution is comprises at least 0.0005M of rare earth metal(col. 3 lines 20-27). Table II of Melotik further shows that an example of rare earth metal salt is cerous nitrate(i.e.  $\text{Ce}^{3+}$ ).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the post treatment coating process of Melotik into the coating process of Derule'751 in view of Derule'247 in order to substantially increase the corrosion and humidity resistance of conversion coated metal surfaces and to improve the surface's receptivity to subsequent adherent coats of paint as taught by Melotik(col. 1 lines 42-59).

In addition, the rare earth metal concentration in the post treatment solution as taught by Derule'751 in view of Derule'247 and Melotik overlaps the claimed rare earth metal concentration of greater than or equal to  $1 \times 10^{-3}$  mole/l. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed rare earth metal concentration range from the disclosed range of Derule'751 in view of Derule'247 and Melotik would have been obvious to one skilled in the art since Derule'751 in view of Derule'247 and Melotik teach the same utilities in their disclosed rare earth metal concentration range.

Art Unit: 1793

10. Claims 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 and further in view of Berner et al. US 4,612,049(Berner).

The teachings of Derule'751 are discussed in paragraph 4 above. However, Derule'751 does not explicitly teach the claimed use of electrical current to obtain oxidizing conditions.

Berner teaches a process for forming a conversion coating on a metal surface by treating the metal surface with a corrosion-inhibiting coating solution comprising an aliphatic mono- or di- carboxylic acids having a particular formula(abstract). Berner further teaches that a conversion coating can be applied by various methods including spraying, brushing, roller-coating, dipping or electrodeposition(col. 13 lines 3-11).

Regarding claim 15, it would have been obvious to one of ordinary skill in the art to have substituted the spraying coating technique as taught by Derule'751(col. 1 lines 40-41) with the electrodeposition technique as taught by Berner with expected success since Berner's teaching shows that spraying coating and electrodeposition coating are functionally equivalent methods to apply a conversion coating.

Regarding claims 38, 41, 44, 50 and 52-56, the instant claims are rejected for the same reasons set forth in the rejection of claims 16, 18-22, 26, 29 and 32 above.

11. Claims 39, 42, 45 and 57-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Berner, and further in view of Speckmann.

The teachings of Derule'751 in view of Berner are discussed in paragraph 10 above. However, Derule'751 in view of Berner do not explicitly teach the claimed combination of two organic acids.

The teachings of Speckmann are discussed in paragraph 5 above.

Regarding claims 39, 42, 45 and 57-59, one of ordinary skill in the art would have found it obvious to have incorporated a combination of heptanoic, decanoic, undecenoic, oleic and/or linoleic acids as taught by Speckmann into the coating solution of Derule'751 in view of Berner with expected success since Speckmann teaches that such a group of carboxylic acids are functionally equivalent corrosion inhibitors.

12. Claims 40 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Berner and Speckmann, and further in view of Bürge et al. US 5,916,483 (Bürge).

The teachings of Derule'751 in view of Berner and Speckmann are discussed in paragraph 11 above. However, Derule'751 in view of Berner and Speckmann do not explicitly teach the claimed saturated dicarboxylic acids.

Bürge teaches a corrosion inhibiting composition comprising carboxylic acids as corrosion inhibitors, wherein suitable carboxylic acids include sebacic, oleic and linoleic acids(col. 7 lines 18-20).

Regarding claims 40 and 43, one of ordinary skill in the art would have found it obvious to have incorporated a combination of sebacic, oleic and linoleic acids as taught by Bürge into the coating solution of Derule'751 in view of Berner and Speckmann with expected success since Bürge teaches that sebacic, oleic and linoleic acids are functionally equivalent corrosion inhibitors.

Art Unit: 1793

13. Claims 46-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Derule'247, in view of Berner, and further in view of Flasch et al. US 3,776,881 B1 (Flasch).

The teachings of Derule'751 in view of Berner are discussed in paragraph 10 above. However, Derule'751 in view of Berner do not explicitly teach the claimed diacetone alcohol as co-solvent.

Flasch teaches an acidic corrosion inhibiting coating composition comprising carboxylic acids such as caproic(i.e. hexanoic), capric(i.e. decanoic), oleic and sebacic acids(col. 3 lines 41-43, col. 3 lines 49-61) and solvents such as diacetone alcohol(col. 3 lines 24-29).

Regarding claims 46-47, it would have been obvious to one of ordinary skill in the art to have incorporated diacetone alcohol as taught by Flasch into the coating solution of Derule'751 in view of Berner with expected success since Flasch teaches solvents such as diacetone alcohol are suitable for a corrosion inhibiting coating solution comprising claimed types of carboxylic acids.

14. Claims 48-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Berner and further in view of Hughes.

The teachings of Derule'751 in view of Berner are discussed in paragraph 10 above. However, Derule'751 in view of Berner do not explicitly teach the addition of rare earth metals in the +3 oxidation state as claimed.

Hughes teaches the application of a conversion coating to metal surfaces, wherein the conversion coating comprises rare earth metals in +3 oxidation state(col. 3

Art Unit: 1793

line 61 – col. 4 line 15) and in a concentration of below 50g/l(col. 4 lines 24-26). The coating composition of Hughes further comprises mono- and/or di-carboxylic acids(col. 6 lines 53-49).

Regarding claim 48, it would have been obvious to one of ordinary skill in the art to have incorporated rare earth metal in +3 oxidation state and in a concentration of below 50g/l as taught by Hughes into the coating solution of Derule'751 in view of Berner in order to improve the adhesion of the conversion coating and accelerate the coating process as taught by Hughes(col. 2 lines 1-3).

In addition, the concentration of rare earth metal in the coating composition of Derule'751 in view of Berner and Hughes overlaps the claimed concentration of greater than or equal to  $1 \times 10^{-3}$  mole/l. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed rare earth metal concentration range from the disclosed range of Derule'751 in view of Berner and Hughes would have been obvious to one skilled in the art since Derule'751 in view of Berner and Hughes teach the same utilities in their disclosed rare earth metal concentration range.

Furthermore, the pH of the coating solution of Derule'751 in view of Berner and Hughes overlaps the claimed pH of higher than 4. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed pH range from the disclosed range of Derule'751 in view of Berner and Hughes would have been obvious to one skilled in the art since Derule'751 in view of Berner and Hughes teach the same utilities in their disclosed pH range.



Art Unit: 1793

Regarding claim 49, even though Derule'751 in view of Berner and Hughes do not explicitly teach that the rare earth metal is claimed gadolinium, one of ordinary skill in the art would have found the use of gadolinium as the rare earth metal in the coating composition of Derule'751 in view of Berner and Hughes obvious and with expected success since gadolinium has similar properties as other rare earth metals, therefore, should behave similarly to other rare earth metals taught by Hughes.

15. Claim 51 is rejected under 35 U.S.C. 103(a) as being unpatentable over Derule'751 in view of Berner, and further in view of Melotik.

The teachings of Derule'751 in view of Berner are discussed in paragraph 10 above. However, Derule'751 in view of Berner do not explicitly teach the claimed post treatment using a bath containing rare earth metals.

Melotik teaches an post treatment rinse for metal coatings, wherein the post treatment rinse solution is comprises at least 0.0005M of rare earth metal(col. 3 lines 20-27). Table II of Melotik further shows that an example of rare earth metal salt is cerous nitrate(i.e.  $\text{Ce}^{3+}$ ).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the post treatment coating process of Melotik into the coating process of Derule'751 in view of Berner in order to substantially increase the corrosion and humidity resistance of conversion coated metal surfaces and to improve the surface's receptivity to subsequent adherent coats of paint as taught by Melotik(col. 1 lines 42-59).

Art Unit: 1793

In addition, the rare earth metal concentration in the post treatment solution as taught by Derule'751 in view of Berner and Melotik overlaps the claimed rare earth metal concentration of greater than or equal to  $1 \times 10^{-3}$  mole/l. Therefore, a prima facie case of obviousness exists. See MPEP 2144.04. The selection of claimed rare earth metal concentration range from the disclosed range of Derule'751 in view of Berner and Melotik would have been obvious to one skilled in the art since Derule'751 in view of Berner and Melotik teach the same utilities in their disclosed rare earth metal concentration range.

### ***Response to Arguments***

16. Applicant's arguments filed 12 February 2010 have been fully considered but they are not persuasive.

In the remarks, applicant argues that Derule'751 does not teach the claimed saturated aliphatic monocarboxylic or dicarboxylic acid having a carbon chain of at least C<sub>10</sub>.

The examiner does not find applicant's argument convincing because Derule'751 teaches aliphatic monocarboxylic acid having a carbon chain of C<sub>6</sub>-C<sub>12</sub>, which overlaps the claimed aliphatic monocarboxylic acid having a carbon chain of at least C<sub>10</sub>. Therefore, a prima facie case of obviousness exists. See MPEP 2144.05. The selection of claimed at least C<sub>10</sub> aliphatic monocarboxylic acid from the disclosed C<sub>6</sub>-C<sub>12</sub> aliphatic monocarboxylic acids as taught by Derule'751, which encompasses the claimed decanoic acid, would have been obvious to one of ordinary skill in the art since Derule'751 discloses the same utility in its C<sub>6</sub>-C<sub>12</sub> aliphatic monocarboxylic acids .

Applicant further argues that Berner does not teach a carboxylation process by electrodeposition because Berner teaches a different chemical mechanism.

The examiner does not find applicant's argument convincing because Berner's teaching shows various methods such as spraying, brushing, roller-coating, dipping and electrodeposition are functionally equivalent conversion coating method. Therefore, when incorporated into the process of Decule'751 which uses a substantially the same coating composition as claimed, Berner's electrodeposition technique would have performed the same way as claimed.

### ***Conclusion***

17. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Caupin et al. US 5,507,861 teach a coating composition comprising monocarboxylic acids such as heptanoic acid and undecanoic acid, and oxidizing agent such as perborate. The pH of the coating composition is about 8.

18. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the

Art Unit: 1793

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LOIS ZHENG whose telephone number is (571)272-1248. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ Roy King/  
Supervisory Patent Examiner, Art  
Unit 1793

LLZ

Application/Control Number: 10/670,513  
Art Unit: 1793

Page 20